



## **CARGO BIG**

FLIGHT CASE BOX INSTALLATION MANUAL

**ENGLISH V 1.0** 





## hello new user let's ride

Congratulations on your new bicycle! Proper assembling and operation of your bicycle is important for your safety and enjoyment. Our customer service department is dedicated to your satisfaction with Triobike and its products. If you have questions or need advice regarding assembly, parts, performance, or returns, please contact the experts at Triobike.

Enjoy the ride!

## our contacts

phone: +45 36 70 00 70


email: support@triobike.dk

website: www.triobike.com


social medias: youtube | facebook



## INSTALLING THE FLIGHT CASE BOX



**1-** Using double sided tape, place two 30mm (50mm if the box is 75 cm wide) thick foam panels on the bike frame, as shown in the picture. The holes for the M6 bolts, close to the side tubes, have to stay uncovered. If the foam is missing, just use 4 pieces of wood, 30x30x810 mm (50x30x810 mm if the box is 75 cm wide) placed at the borders of the foam.








**2-** Place the flight case box on the foam panels, the distance between the headset and the rear part of the load deck has to be the same.

5











**4-** Remove the box from the bike and turn it upside down. Drill 4 holes Ø8 mm on the position of the marks made previously on the box.







**6-** Put again the top lid on the flight case box.





TRIOBIKE A/S

Vesterbrogade 149, 1620 Copenhagen V - Denmark

phone: +45 3670 0070

info@triobike.dk | www.triobike.com