



TRIOBIKE

Triobike Taxi CL

Data sheet v1.3



Taxi CL

range: 45-90 km (545 Wh lithium battery)

max overall load: 240 kg

dynamic 85 Nm Bosch Cargo line motor

low maintenance belt drive

160 mm hydraulic rear disc brake

durable Enviolo gear system

Schwalbe puncture free tires

adjustable stem

foldable hood with panoramic windows

comfortable ergonomic seats

2x seat belts

PEFC & FCS certified wood

2x160 mm hydraulic front disc brakes for even brake force distribution, with parking lock

70 liters storage compartment

integrated LED light system f/r

removable footrest for an easy entry



build up

FRAME: aluminium 6061

BOX: beech plywood + aluminium

REAR WHEEL: 26" - 36 spokes

FRONT WHEELS: 20" - 32 spokes

e-system

MOTOR: Bosch Cargo Line | 250W – 85 Nm

DISPLAY: Kiox 300

BATTERY:
Bosch PowerPack 545 Wh - same key as frame lock

components

BRAKES: Tektro 4 pistons hydraulic disc brakes with parking lock

GEARS / TRANSMISSION:
Enviolo Extreme manual groupset / Gates Carbon Drive 48T x 26T x 118T

LIGHTS:
integrated 2x front lights and 1 rear light

FRAME LOCK:
ABUS 5755L lock included, same key as battery lock

TIRES:
Puncture free Schwalbe Pick-Up 2.15"

SEAT POST:
Ø 31,6 mm
LENGTH 320 mm

STEERING DAMPER: two included

SADDLE: triobike gel

CRANKSET: Miranda aluminium 165mm

STEM: Triobike adjustable

equipment

RAIN PROTECTION: hood, waterproof blanket (optional)

SEAT: 2 passengers seat with cushions

HARNESS: two 2-point seat belts

dimensions

LENGTH: 225 cm


WIDTH: 106 cm

WEIGHT: 60 kg

MAX PAYLOAD ON THE FRONT BOX: 160 kg

MAX TOTAL WEIGHT: 300 kg

MAX OVERALL LOAD (RIDER+PASSENGERS): 240 kg



dimensions in mm

TRIOBIKE Taxi
Date: 22-03-2024
Copyright© TRIOBIKE A/S 2024



TRIOBIKE