



TRIOBIKE

Triobike Taxi CL

Data sheet v1.1



Taxi CL

range: 45-90 km (545 Wh lithium battery)

max overall load: 190 kg

dynamic 85Nm Bosch Cargo line motor

low maintenance belt drive

160 mm hydraulic rear disc brake

durable Enviolo gear system

Schwalbe puncture free tires

adjustable stem

foldable hood with panoramic windows

comfortable ergonomic seats

2x seat belts

PEFC & FCS certified wood

2x160 mm hydraulic front disc brakes for even brake force distribution, with parking lock

70 liters storage compartment

integrated LED light system f/r

removable footrest for an easy entry



New in 2023

build up

FRAME: aluminium 6061

BOX: beech plywood + aluminium

REAR WHEEL: 26" - 36 spokes

FRONT WHEELS: 20" - 32 spokes

e-system

MOTOR: Bosch Cargo Line | 250W – 85 Nm

DISPLAY: Kiox 300

BATTERY:
Bosch PowerPack 545 Wh

components

BRAKES: Tektro hydraulic disc brakes with parking lock, 160 mm rotors

GEARS / TRANSMISSION:
Enviolo HD manual groupset / Gates Carbon Drive, 48T
Gates front sprocket, 26T Gates rear sprocket

LIGHTS:
integrated LED front and rear lights

FRAME LOCK:
one AXA lock included

TIRES:
Puncture free Schwalbe Pick-Up 2.15"

SEAT POST:
Ø 31,6 mm
LENGTH 450 mm

STEERING DAMPER: two included
SADDLE: triobike gel
CRANKSET: Miranda aluminium
STEM: adjustable

equipment

RAIN PROTECTION: hood, waterproof blanket (optional)

SEAT: 2 passengers seat with cushions

HARNESS: two 2-point seat belts

dimensions

LENGTH: 225 cm

WIDTH: 106 cm

WEIGHT: 60 kg

MAX PAYLOAD ON THE FRONT BOX: 160 kg

MAX TOTAL WEIGHT: 250 kg

MAX OVERALL LOAD (RIDER+PASSENGERS): 190 kg



dimensions in mm

TRIOTAXI Taxi
Date: 29-01-2024
Copyright© TRIOTAXI A/S 2024



TRIOBIKE