

TRIOBIKE



Taxi Air



build up

FRAME: aluminium 7005

BOX: beech plywood + aluminium

REAR WHEEL: 26" - 36 spokes

FRONT WHEELS: 20" - 32 spokes

e-system

MOTOR: Bafang M400 | 250W - 80 Nm mid drive motor

BATTERY: Li-Ion cells, 43V - 450 Wh

components

BRAKES: Tektro hydraulic disc brakes with parking lock on the front, coaster brake on the rear

GEARS / TRANSMISSION: Shimano Nexus E-Bike dedicated IGH 5-Speed

LIGHTS: integrated LED front and rear lights

FRAME LOCK: one AXA lock included

TIRES: Puncture free Kenda 1.75"

SEAT POST: Ø 31,6 mm LENGTH 450 mm

STEERING DAMPER: two included

SADDLE: triobike gel

CRANKSET: FSA aluminium

STEM: adjustable

equipment

RAIN PROTECTION: hood, waterproof blanket (optional)

SEAT: 2 passengers seat with cushions

HARNESS: two 2-point seat belts

dimensions

LENGTH: 230 cm

WIDTH: 106 cm

WEIGHT: 60 kg

MAX PAYLOAD ON THE FRONT BOX: 160 kg

MAX TOTAL WEIGHT: 250 kg

MAX OVERALL LOAD (RIDER+PASSENGERS): 190 kg





dimensions in mm

TRIOBIKE Taxi Date: 22-03-2022 Copyright© TRIOBIKE A/S 2022

